

Insulated Glycol & Chilled Water Storage Tank



Industrial Plastics is a market leader in custom tank fabrication with 50 years of plastics fabrication experience. Our Insulated Glycol & Chilled Water Storage Tanks are made from HDPE, insulated with PE30 with a service life of 25 years. Our tanks are made the DVS2205 & BS/EN12573, globally recognised standards for tank and thermo plastic calculations.



Insulated
with
50mm of
PE30




**INDUSTRIAL
PLASTICS**

Unit 7, 1 Roebuck Street, Hemmant, QLD, 4174, Australia

PHONE: 1300 465 888 | WEB: industrialplastics.com.au | EMAIL: plastics@industrialplastics.com.au

Custom sizes and fittings available.



INDUSTRIAL PLASTICS

Unit 7, 1 Roebuck Street, Hemmant, QLD, 4174, Australia

PHONE: 1300 465 888 | WEB: industrialplastics.com.au | EMAIL: plastics@industrialplastics.com.au

Specifications for Tanks

	1KL	2.5KL	5KL	7.5KL	10KL
Material	HDPE	HDPE	HDPE	HDPE	HDPE
Insulation Material	PE 30	PE 30	PE 30	PE 30	PE 30
Insulation Thickness	50	50	50	50	50
Total Diameter	1,181	1,285	1,622	1,944	2,248
Total Height	1,288	2,538	3,040	3,042	3,334
Height of Roof	147	161	205	248	288
Height of Cylinder	1,103	2,339	2,795	2,752	3,000
Height of Bottom	38	38	40	42	46
Internal Diameter	1,100	1,200	1,530	1,850	2,150
Internal Height	1,103	2,339	2,795	2,752	3,000
Wall Thickness	6	8	10	11	13
Base Thickness	4	4	5	6	8
Roof Thickness	8	8	10	12	12
Cladding Thickness	4.5	4.5	6	6	6

Custom sizes available.

Fittings

Industrial Plastics offers the following fittings and options.

- Manhole Covers
- Level Sensors
- Glass Panel
- Flange Fittings
- Threaded BSPT Fittings
0.75" / 1" / 1.25" / 1.5" / 2"

Applications

- Air Conditioning Systems
- Cold Storage Facilities
- Breweries, Distilleries and Wineries
- Dairy and Meat Processing
- Food and Beverage
- Cosmetic and Oral Hygiene
- Chemical and Polymer Manufacturing



INDUSTRIAL PLASTICS

Unit 7, 1 Roebuck Street, Hemmant, QLD, 4174, Australia

PHONE: 1300 465 888 | WEB: industrialplastics.com.au | EMAIL: plastics@industrialplastics.com.au